

1. Product type and definition

OBEX CORTEX 0100FR Class B DPC membrane

2. Name and contact address of supplier

Unit 5 St. Modwen Park, Norton Road, Broomhall, Worcester, WR5 2QR

3. Intended Use

EN 14909:2012

4. System of assessment and verification of constancy of performance (AVCP)

System 3

5. Notified body

1066

6. Declared performance

Fire Classification	EN 13501-1	B-s3,d0
Tensile Strength	EN 12311-2	2300 / 2500 N/50mm
Tear strength	EN 12310-2	Lengthwise - 264 N/mm Crosswise - 405 N/mm
Temperature resistance	DIN EN 1876-1/PA07.04 intern	-40°C / +70°C
Crack resistance	DIN 53359A	100000 x
UV resistance Exposed	Exposed	10+ years
Static Load Resistance	EN 12370	20 kg
Impact Resistance	EN 12691	200mm
Equivalent Air Layer Thickness (Sd)	EN 1931	12m
Water Tightness	EN 1928	W1 (2kPa & 60kPa for 24 hours)

The performance of the product identified in section 1 is in conformity with the declared performance in point 6.
This declaration of performance (DoP) is issued under the sole responsibility of the manufacturer identified in point 2.
Signed for and on behalf of the manufacturer by:



Callum Doouss

17.10.23

